



**SUGGESTED LANGUAGE to SPECIFY**  
**AXIS SOIL AMENDMENTS and PLAY BALL! INFIELD CONDITIONER**  
**In “GREENBOOK” FORMAT**

The following information was developed to assist Landscape Architects who are interested in Specifying AXIS Calcined Diatomaceous Earth as a soil amendment in a variety of Landscape planting and soil conditioning procedures; and for Specifying Play Ball! Infield Conditioner into Infield Mixes of Baseball and Softball Fields. Each page has information and language intended to be “cut and pasted” into the two sections of the “Greenbook” necessary to specify our products; Section 212 – Landscape and Irrigation Materials, and Section 308 – Landscape and Irrigation Installation.

As a Landscape Architect, if you do not find the planting approach or soil conditioning instruction that follows the scope and requirements of your project, we would be happy to discuss the particulars with you and provide appropriate language to suit your project.

[Specifications in Greenbook and CSI Formats can be downloaded from our website.](#)

**CONTENTS for AMENDING:**

Prepared Soil Mix as Backfill for Tree and Shrub Planting	Page 2
Existing Backfill for Tree and Shrub Planting	Page 3
Rooftop Garden Soil for Trees, Shrubs and Seedums	Page 4
Structural Soil for Tree Planting Areas	Page 5
Soil for Bioswales	Page 6
Soil for Ground Cover and Vine Planting	Page 7
Soil for Grass Pavers for Fire Lanes, Access Lanes and Overflow Parking	Page 9
Soil for Turf Areas Planting with Seed, Sod, or Stolons	Page 8
Golf Green Rootzones	Page 10
Sand Base Tees, Fairways or Sportsfield Rootzones	Page 11
Infield Soil for Skinned Areas of Baseball and Softball Fields	Page 12
General Application Rates for AXIS	Page 13
General Application Rates for Play Ball!	Page 14



**AMENDING PREPARED SOIL MIX as BACKFILL  
for TREE AND SHRUB PLANTING**

---

**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment.** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 15% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO2)	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....212

**308-4 PLANTING.**

**308-4.5 Tree and Shrub Planting.** Planting holes..... planted.

Containers shall ..... hole.

The native soil ..... of 150 mm (6 inches).

All planting holes shall be backfilled with a prepared soil mix. Soil shall consist of 50 percent of the specified topsoil and 35 percent Type 1, 2, or 3 organic soil amendment, and 15 percent AXIS “Regular” Calcined Diatomaceous Earth.

- 1.) To make one cubic yard of prepared soil mix, blend .15 yard of AXIS (105 pounds) with .5 yard topsoil and .35 yard of Type 1, 2, or 3 organic soil amendment.

After planting, the plant shall be plumb, ....



for INDIVIDUAL TREE AND SHRUB PLANTINGS

SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS

212-1 LANDSCAPE MATERIALS.

212-1.2 Soil Fertilizing and Conditioning Materials.

212-1.2.6 Inorganic Amendment. Soil Conditioner shall be AXIS "Regular" Calcined Diatomaceous Earth, applied at 15% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO2)	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION

308 CROSS REFERENCE

Landscape and Irrigation .....212

308-4 PLANTING.

308-4.5 Tree and Shrub Planting. Planting holes ..... planted.

Containers ..... hole.

The native soil ..... of 150 mm (6 inches).

All planting holes shall be backfilled with 15 percent AXIS "Regular" Calcined Diatomaceous Earth.

Apply AXIS "Regular" over the excavated dirt at the rates per plant listed below. Contact supplier for other plant sizes not listed. Mix thoroughly with excavated dirt and other fertilizer, organic material, or biological components before backfilling and during backfilling for a homogenous backfill blend.

1.) Container/Plant Size	Pounds of AXIS	Equivalent Measure
4"	.37 lbs.	2 cups
1 gal.	1.5 lbs.	1.5 quarts
2 gal.	3 lbs.	3.0 quarts
5 gal.	7.5 lbs.	1.25 gallons
24" shrub	3 lbs.	3.0 quarts
48" shrub	15 lbs.	2.5 gallons
6' tree	15 lbs.	2.5 gallons
8' tree	25 lbs.	1.0 bag
12' tree	60 lbs.	2.4 bags
2" caliper	50 lbs.	2.0 bags
3" caliper	75 lbs.	3.0 bags

After planting, the plant shall be plumb, ....



**AMENDING ROOFTOP GARDEN SOIL  
for TREES, SHRUBS, and SEEDUMS**

---

**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment.** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 20% by volume, available from EnviroTech Soil Solutions, Inc., [www.axisplayball.com](http://www.axisplayball.com), 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO <sub>2</sub> )	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....212

**308-4 PLANTING.**

**308-4.5 Tree and Shrub Planting.** Planting holes..... planted.

Containers shall ..... hole.

The native soil ..... of 150 mm (6 inches).

All planting holes shall be backfilled with a prepared Rooftop mix. Soil shall consist of 60 percent of the specified topsoil and 20 percent Type 1, 2, or 3 organic soil amendment, and 20 percent AXIS “Regular” Calcined Diatomaceous Earth.

- 1.) To make one cubic yard of prepared soil mix, blend .2 yard of AXIS (140 pounds) with .6 yard topsoil and .2 yard of Type 1, 2, or 3 organic soil amendment.

After planting, the plant shall be plumb, ....



# AMENDING STRUCTURAL SOIL for TREE PLANTING AREAS

## SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS

### 212-1 LANDSCAPE MATERIALS.

#### 212-1.2 Soil Fertilizing and Conditioning Materials.

**212-1.2.6 Inorganic Amendment.** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 15% by volume, available from EnviroTech Soil Solutions, Inc., [www.axisplayball.com](http://www.axisplayball.com), 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO <sub>2</sub> )	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

## SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION

### 308 CROSS REFERENCE

Landscape and Irrigation .....	212
--------------------------------	-----

### 308-4 PLANTING.

**308-4.5 Tree and Shrub Planting.** Planting holes shall be approximately square with vertical sides twice the depth and width of the plant container or ball, and shall be larger if necessary to permit handling and planting without injury or breakage of the root ball or root system. Any plant with a broken or cracked root ball before or during planting shall not be planted.

Containers shall be opened and removed in such a manner that the root is not injured. Balled plant wrappings shall be loosened or cut back after plant is positioned in the planting hole.

The native soil at the bottom of planting holes shall be scarified to a depth of 150 mm (6 inches).

Structural Soil cavities shall be backfilled with a prepared soil mix. Soil mix shall consist of 70 percent of the specified topsoil and 15 percent Type 1, 2, or 3 organic soil amendment, and 15 percent AXIS “Regular” Calcined Diatomaceous Earth.

- 1.) To make one cubic yard of prepared soil mix, blend .15 yards of AXIS (105 pounds) with .7 yard topsoil and .15 yard of Type 1, 2, or 3 organic soil amendment.

After planting, the plant shall be plumb, ....



**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 20% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO2)	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....	212
--------------------------------	-----

**308-2.3 Topsoil Preparation and Conditioning**

**308-2.3.2 Fertilizing and Conditioning Procedures.** The planting area shall be brought to finish grade, minus the volume equal to the amount of fertilizers and conditioners to be installed, before spreading the fertilizers or conditioning materials specified.

Fertilizing and conditioning materials shall be mechanically spread at a uniform rate. AXIS shall be applied at the rate of 2,600 pounds per 1,000 square feet. The quantities of materials necessary for the planting area shall be at the site and shall be verified by delivery tickets furnished to the Engineer before spreading.

After spreading, the fertilizing and conditioning materials shall be uniformly cultivated into the upper 150 mm (6 inches) of soil by suitable equipment operated in at least two directions approximately at right angles. The resulting soil shall be in a friable condition.



AMENDING SOIL for GROUND COVER  
AND VINE PLANTING

**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 10% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO2)	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....212

**308-4.7 Ground Cover and Vine Planting.** Soil Conditioner AXIS shall be applied at the rate of 675 pounds per 1,000 square feet and incorporated into the soil 3 inches deep. Soil preparation and fine grading shall be completed prior to ground cover planting.

Ground cover and vines shall be planted in moist soil....



for FIRE LANES, ACCESS LANES, and OVERFLOW PARKING

**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 20% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO2)	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....	212
--------------------------------	-----

**308-2.4 Greensmix Preparation and Conditioning**

**308-2.3.2 Fertilizing and Conditioning Procedures.** All soil blending of topsoil, organic amendment, inorganic amendment, and fertilizer components must be carefully blended an accurate and consistent mix.

AXIS shall be applied at the rate of 20% by volume, which requires 0.2 yard of AXIS (140 pounds) to be blended with 0.60 yard of topsoil, and 0.2 yard of Type 1, 2 or 3 organic soil amendment to create each cubic yard of soil blend. The quantities of materials necessary for the planting area shall be at the site and shall be verified by delivery tickets furnished to the Engineer before blending.

Blended mix shall then be placed in the grass paver cavity or area to the expressed depth of finished mix as indicated in the plans.

**308-4.8 Lawn Planting.**

**308-4.8.1 General.** Before planting lawn, all specified soil preparation and fine grading shall be completed.



**AMENDING SOIL for TURF AREAS and PLANTING  
With SEED, SOD, or STOLONS**

**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 10% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO <sub>2</sub> )	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....212

**308-2.3 Topsoil Preparation and Conditioning**

**308-2.3.2 Fertilizing and Conditioning Procedures.** The planting area shall be brought to finish grade, minus the volume equal to the amount of fertilizers and conditioners to be installed, before spreading the fertilizers or conditioning materials specified.

Fertilizing and conditioning materials shall be mechanically spread at a uniform rate. AXIS shall be applied at the rate of 1,300 pounds per 1,000 square feet. The quantities of materials necessary for the planting area shall be at the site and shall be verified by delivery tickets furnished to the Engineer before spreading.

After spreading, the fertilizing and conditioning materials shall be uniformly cultivated into the upper 150 mm (6 inches) of soil by suitable equipment operated in at least two directions approximately at right angles. The resulting soil shall be in a friable condition.

**308-4.8 Lawn Planting.**

**308-4.8.1 General.** Before planting lawn, all specified soil preparation and fine grading shall be completed.



ROOTZONES in NEW CONSTRUCTION

SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS

212-1 LANDSCAPE MATERIALS.

212-1.2 Soil Fertilizing and Conditioning Materials.

212-1.2.6 Inorganic Amendment Soil Conditioner shall be AXIS "Fine" Calcined Diatomaceous Earth, applied at 10% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO2)	90%
Porosity	82%
Absorption (ASTM F-726)	142%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION

308 CROSS REFERENCE

Landscape and Irrigation .....212

308-2.4 Greensmix Preparation and Conditioning

308-2.3.2 Fertilizing and Conditioning Procedures. All soil blending of sand, peat, inorganic amendment, and fertilizer components must be blended by professional blending equipment to ensure an accurate and consistent mix.

AXIS shall be applied at the rate of 10% by volume, which requires 0.1 yard of AXIS (70 pounds) to be blended with 0.85 yard of sand, and 0.05 yard of peat to create each cubic yard of soil blend. The quantities of materials necessary for the planting area shall be at the site and shall be verified by delivery tickets furnished to the Engineer before blending.

Blended mix shall then be placed in the greens cavity or area to the expressed depth of finished mix as indicated in the plans.

308-4.8 Lawn Planting.

308-4.8.1 General. Before planting lawn, all specified soil preparation and fine grading shall be completed.



**AMENDING SAND BASE TEES, FAIRWAYS  
or SPORTSFIELD ROOTZONES in NEW CONSTRUCTION**

**SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS**

**212-1 LANDSCAPE MATERIALS.**

**212-1.2 Soil Fertilizing and Conditioning Materials.**

**212-1.2.6 Inorganic Amendment** Soil Conditioner shall be AXIS “Regular” Calcined Diatomaceous Earth, applied at 10% by volume, available from EnviroTech Soil Solutions, Inc., www.axisplayball.com, 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO <sub>2</sub> )	90%
Porosity	82%
Absorption (ASTM F-726)	114%
Pore Size	0.1-1.0 micron
pH	7
CEC	27

**SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION**

**308 CROSS REFERENCE**

Landscape and Irrigation .....	212
--------------------------------	-----

**308-2.4 Greensmix Preparation and Conditioning**

**308-2.3.2 Fertilizing and Conditioning Procedures.** All soil blending of sand, peat, inorganic amendment, and fertilizer components must be blended by professional blending equipment to ensure an accurate and consistent mix.

AXIS shall be applied at the rate of 10% by volume, which requires 0.1 yard of AXIS (70 pounds) to be blended with 0.85 yard of sand, and 0.05 yard of peat to create each cubic yard of soil blend. The quantities of materials necessary for the planting area shall be at the site and shall be verified by delivery tickets furnished to the Engineer before blending.

Blended mix shall then be placed in the greens cavity or area to the expressed depth of finished mix as indicated in the plans.

**308-4.8 Lawn Planting.**

**308-4.8.1 General.** Before planting lawn, all specified soil preparation and fine grading shall be completed.

## SECTION 212 - LANDSCAPE AND IRRIGATION MATERIALS

### 212-1 LANDSCAPE MATERIALS.

#### 212-1.2 Soil Fertilizing and Conditioning Materials.

**212-1.2.7 Infield Conditioner.** Infield Conditioner shall be Play Ball! “Regular” Calcined Diatomaceous Earth, applied at 10% by volume, available from EnviroTech Soil Solutions, Inc., [www.axisplayball.com](http://www.axisplayball.com), 866-546-3722. Soil Conditioner shall contain the following properties:

Opaline Silica (SiO <sub>2</sub> )	90%
Porosity	82%
Absorption (ASTM F-726)	90%
Bulk Density (lbs./cu.ft.)	25
Minus 80 mesh	0.5%

## SECTION 308 - LANDSCAPE AND IRRIGATION INSTALLATION

### 308 CROSS REFERENCE

Landscape and Irrigation .....	212
--------------------------------	-----

#### 308-2.3 Topsoil Preparation and Conditioning

**308-2.3.2 Fertilizing and Conditioning Procedures.** The area shall be brought to finish grade, minus the volume equal to the amount of conditioners to be installed, before spreading the infield conditioning materials specified.

Conditioning materials shall be mechanically spread at a uniform rate. Play Ball! “Regular” shall be applied at the rate of 1,300 pounds per 1,000 square feet. The quantities of materials necessary for the infield area shall be at the site and shall be verified by delivery tickets furnished to the Engineer before spreading.

After spreading, the conditioning materials shall be uniformly cultivated into the upper 150 mm (6 inches) of soil by suitable equipment operated in at least two directions approximately at right angles.



## General Application Rates

**Turf, Groundcover, or Garden Area:** AXIS is safe and effective for all edible plants and turf! Spread AXIS evenly at the rates below and incorporate to the desired depth to equal 10% by volume:

- 2" deep - use 450 lbs. per 1,000 sq. ft.
- 4" deep - use 900 lbs. per 1,000 sq. ft.
- 6" deep - use 1,300 lbs. per 1,000 sq. ft.
- 8" deep - use 1,750 lbs. per 1,000 sq. ft.

**Turf Aeration:** Topdressing AXIS after Aerating with 5/8" tines on a 3" x 4" pattern will require 100 to 125 lbs. of AXIS per 1,000 square feet. We recommend harvesting the cores, and then applying the AXIS with a broadcast or drop spreader. Using a rake or blower will help get the AXIS into the holes.

**DryJect Injection:** Aeration patterns are either 3" x 2" or 3" x 4".  
3 x 2 spacing, figure 4 to 6 cubic feet (4 to 6 Bags of AXIS Fine) per 1,000 square feet.  
3 x 4 spacing, figure 2 to 3 cubic feet (2 to 3 Bags of AXIS Fine) per 1,000 square feet.

**Hanging Baskets & Rooftop Gardens:** We recommend 20% by volume for best results in these specialty applications. For offsite blending, mix 1 part AXIS (140 lbs. = 0.9 cu. yd.) with 9 parts soil mix to achieve 20% by volume.

**Offsite Mixing or Pre-blending:** Use 70 lbs. per cubic yard to achieve 10% by volume in a mix for planting media, sand based systems or other blended mixes. AXIS Regular should be used for the majority of all applications. Use AXIS Fine for golf green rootzone construction.

## Quantities for Individual Plantings

Application Rates and Worksheet to Apply 10% by Volume in the backfill.

# of Plants	Container or Plant Size	Pounds of AXIS / plant	Volume of AXIS / plant	Total	Added Available Water per Plant*
_____	4" pot	.37 lbs.	2 cups	_____	.39 lb. / 6 oz.
_____	1 gal.	1.5 lbs.	1.5 quarts	_____	1.5 lb. / 24 oz.
_____	2 gal.	3 lbs.	3 quarts	_____	3.0 lb. / 1.5 quarts
_____	5 gal.	7.5 lbs.	1.25 gal.	_____	7.5 lb. / .9 gal.
_____	24"	3 lbs.	3 quart	_____	3.0 lb. / 1.5 quarts
_____	48"	15 lbs.	2.5 gal.	_____	15 lb. / 1.8 gal.
_____	6'	15 lbs.	2.5 gal.	_____	15 lb. / 1.8 gal.
_____	8'	25 lbs.	1.0 bag	_____	25 lb. / 3.0 gal.
_____	12'	60 lbs.	2.4 bags	_____	60 lb. / 7.2 gal.
_____	2" cal.	50 lbs.	2.0 bags	_____	50 lb. / 6.0 gal.
_____	3" cal.	75 lbs.	3.0 bags	_____	75 lb. / 9.0 gal.

\*Additional Available Water figures rely upon the amount of AXIS used per plant, AXIS Regular's absorption rate of 114% it's weight in water, and results from Labosport that state that 93% of the water AXIS absorbs is available to the plant.

For further assistance please call EnviroTech Soil Solutions, Inc., tollfree: 866-546-3722, or visit [www.axisplayball.com](http://www.axisplayball.com)



## Application Rates

Play Ball! Application Rates are 10% by volume. To apply; determine the square footage and depth to which you want to condition, apply at the rates listed per depth, and nail drag or incorporate to the proper depth. Apply additional product at the Standard Rate if areas between foul lines and fences are skinned. For Infield Mixes blended and placed, determine the total cubic yards and blend per instructions. Requirements may vary according to field conditions.

### **STANDARD RATE – 10% by volume**

- 1" Deep - Apply 225 lbs. of Play Ball! per 1,000 square feet
- 2" Deep - Apply 450 lbs. of Play Ball! per 1,000 square feet
- 3" Deep - Apply 675 lbs. of Play Ball! per 1,000 square feet
- 4" Deep - Apply 900 lbs. of Play Ball! per 1,000 square feet
- 6" Deep - Apply 1300 lbs. of Play Ball! per 1,000 square feet

<b>BASEBALL FIELDS</b>	Infield Sq. Ft.	Tons 2" deep	Tons 4" deep	Tons 6" deep
<b>90' Bases</b>				
Grass Infield	11,550	2.6	5.2	7.8
Skinned Infield	18,300	4.1	8.2	12.3
<b>80' Bases</b>				
Grass Infield	8,400	1.9	3.8	5.7
Skinned Infield	13,650	3.1	6.1	9.2
<b>70' Bases</b>				
Grass Infield	6,800	1.5	3.0	4.5
Skinned Infield	10,700	2.4	4.8	7.2
<b>60' Bases</b>				
Grass Infield	3,850	.9	1.8	2.7
Skinned Infield	6,700	1.5	3.0	4.5

<b>SOFTBALL FIELDS</b>	Infield Sq. Ft.	Tons 2" deep	Tons 4" deep	Tons 6" deep
<b>60' Bases</b>				
Grass Foul Areas	8,350	1.9	3.7	5.6
<b>65' Bases</b>				
Grass Foul Areas	9,300	2.1	4.2	6.3

### **BLENDED and PLACED INFIELD MIX – 10% by volume**

To produce one cubic yard of blended infield mix with 10% Play Ball!; mix 1 part Play Ball! Infield Conditioner (0.1 cubic yard = 70 pounds) with 9 parts (0.9 cubic yard) of infield soil. Play Ball! Regular should be used for the majority of applications.